

Laboratory Assignment: Smashing the Stack

Daniel Bosk*

stacksmash.tex 2169 2015-01-14 22:37:01Z danbos

Contents

1	Introduction	1
2	Aim	1
3	Theory	2
4	Assignment	2
5	Examination	2
A	The simple passwd.c program	3

1 Introduction

Buffer overruns of different kinds are common vulnerabilities in software. Examples vary from being able to break the DRM of a Nintendo Wii console [1] to reading the memory of a running OpenSSL implementation [2].

How this really works is that the software mistakenly do not check the boundaries of buffers. This might be due to incorrect assumptions by developers, the system being complex, or simply human error.

2 Aim

The aims of this assignment is to look into buffer overrun vulnerabilities. After completion of this assignment you should be able to:

- Understand the consequences of vulnerabilities in software.
- Protect software from the easiest vulnerabilities.

*This work is licensed under the Creative Commons Attribution-ShareAlike 3.0 Unported license. To view a copy of this license, visit <http://creativecommons.org/licenses/by-sa/3.0/>.

- Evaluate strengths and weaknesses in software design.

3 Theory

To grasp this assignment you must first read chapters 4, 8, 9, 18 in *Security Engineering* [3], and then you must read chapters 5, 6, 7 (and optionally 8), 10, 11, 12, 20, in *Computer Security* [4].

After reading the material given above you need to know some assembly programming, specifically x86-64 assembler and some tools. For this you should read “x86-64 Machine-Level Programming” by Bryant and O’Hallaron [5]. You also need to be acquainted with some tools, for that reason, study the manual pages for `objdump(1)`, `as(1)`, and `gdb(1)`.

Finally you should read a classic paper on stack smashing, the first paper on the matter to be precise, “Smashing the stack for fun and profit” [6].

4 Assignment

This section covers the work to be done and the next section covers how it will be examined, and what to be done to pass it.

This assignment will use the scenario of a buffer overrun bug found in Sun’s Solaris 8 and 9 [7]. The scenario is a vulnerability in the `passwd(1)` program which allows for arbitrary code execution. We will use a much simplified version of the `passwd(1)` utility, the source code can be found in appendix A.

The first part of the lab concerns exploiting a buffer overrun vulnerability in this program to execute a new shell. This shell will, due to the nature of the `passwd(1)` utility, have root privileges, since it can execute the `setuid(2)` system call to change the effective user ID to that of root.

This first part of the assignment will be solved together during a full-class hackathon in the computer lab. There will be a projector with the code for all to see, then we will rotate who will be by the keyboard writing what the rest of the class is saying. This way we will discuss together and write the code together, everyone will thus participate in the process.

The second part of the assignment is to discuss the consequences of this, among other things we will discuss the following questions:

- How can we possibly detect if this attack has occurred somewhere?
- How can we protect ourselves from vulnerabilities such as these?

5 Examination

To pass this assignment you must first actively participate in the hackathon lab session. If you cannot participate in the lab session you have to solve the lab yourself, then orally present your solution during one of the lab sessions after the course-end.

You must also actively contribute to the post-coding discussions. For those who cannot attend the hackathon there will be post-coding discussions during the lab sessions after the course-end.

References

- [1] Wiibrew. *Twilight Hack*. Accessed 9 April 2014. URL: http://www.wiibrew.org/wiki/Twilight_Hack.
- [2] OpenSSL. *OpenSSL Security Advisory: TLS heartbeat read overrun (CVE-2014-0160)*. Apr. 7, 2014. URL: https://www.openssl.org/news/secadv_20140407.txt.
- [3] Ross J. Anderson. *Security Engineering. A guide to building dependable distributed systems*. 2nd ed. Indianapolis, IN: Wiley, 2008. ISBN: 978-0-470-06852-6 (hbk.) URL: <http://www.cl.cam.ac.uk/~rja14/book.html>.
- [4] Dieter Gollmann. *Computer Security*. 3rd ed. Chichester, West Sussex, U.K.: Wiley, 2011. ISBN: 9780470741153 (pbk.)
- [5] David R. Bryant Randal E. and O'Hallaron. *x86-64 Machine-Level Programming*. Sept. 2005. URL: <https://www.cs.cmu.edu/~fp/courses/15213-s07/misc/asm64-handout.pdf>.
- [6] Aleph One. "Smashing the stack for fun and profit". In: *Phrack magazine* 7.49 (1996), pp. 14–16. URL: http://www-inst.eecs.berkeley.edu/~cs161/fa08/papers/stack_smashing.pdf.
- [7] Shaun McAdams. "Local Privilege Escalation in Solaris 8 and Solaris 9 via Buffer Overflow in passwd(1)". In: *SANS Institute Reading Room* (Feb. 2005). URL: <https://www.sans.org/reading-room/whitepapers/solaris/local-privilege-escalation-solaris-8-solaris-9-buffer-overflow-passwd1-1600>.

A The simple passwd.c program

The following program will be used for experimenting with buffer overruns. The source code is available in a file with the source code of this document, that tarball also contains a Makefile to build it properly (with disabled stack protection etc.). See the URL

<http://ver.miun.se/courses/security/labs/stacksmash-src.tar.gz>.

```
1 #include <err.h>
2 #include <errno.h>
3 #include <stdio.h>
4 #include <string.h>
5 #include <unistd.h>
6 #ifdef _GNU_SOURCE
7 #include <crypt.h>
8 #endif
9
10 int
11 test_passwd( const char *passwd )
12 {
13     char pwd[256];
14     size_t len = 0;
```

```

15 FILE *file;
16
17 /* use setuid(2) here to acquire priviledges */
18 file = fopen( "master.passwd", "r" );
19
20 if ( file == NULL )
21     err( -1, "Could_not_check_password" );
22
23 len = fread( pwd, 1, 256, file );
24 if ( len < 1 )
25     return 0;
26 pwd[len] = 0;
27
28 if ( ! strcmp( pwd, crypt( passwd, "aa" ) ) )
29     return 0;
30
31 fclose( file );
32 /* use setuid(2) to restore priviledges */
33
34 return -1;
35 }
36
37 int
38 write_passwd( const char *passwd )
39 {
40     char *pwdstr = crypt( passwd, "aa" );
41     size_t len;
42     FILE *file;
43
44     /* use setuid(2) here to acquire priviledges */
45     file = fopen( "master.passwd", "w" );
46
47     if ( file == NULL )
48         err( -1, "Could_not_write_password" );
49
50     len = fwrite( pwdstr, strlen( pwdstr ), 1, file );
51     if ( len < 1 )
52         err( -1, "Could_not_write_password" );
53
54     fclose( file );
55     /* use setuid(2) to restore priviledges */
56
57     return 0;
58 }
59
60 int
61 main( int argc, char **argv )
62 {
63     char passwd[256];
64     char newpass[256];
65
66     printf( "Enter_old_password:" );

```

```
67 scanf( "%s", passwd );
68
69 if ( test_passwd( passwd ) < 0 ) {
70     errx( -1, "Old_password_is_wrong" );
71 }
72
73 printf( "Enter_new_password:\n" );
74 scanf( "%s", passwd );
75
76 printf( "Reenter_new_password:\n" );
77 scanf( "%s", newpass );
78
79 if ( strcmp( passwd, newpass ) ) {
80     errx( -1, "Passwords_do_not_match" );
81 }
82 else if ( write_passwd( passwd ) < 0 ) {
83     err( -1, "Could_not_write_password" );
84 }
85
86 return 0;
87 }
```